

# Monivent Neo100

Supporting Gentle Ventilation of Newborns

Monivent **Neo100** provides feedback and guidance during manual ventilation of newborns.



# Monivent Neo100

**Ensuring adequate ventilation is one of the most important factors when taking care of a newborn in need of respiratory support at birth.**

Monivent Neo100 is a solution for wireless monitoring and guidance during manual ventilation of newborns. Parameters that previously could only be estimated can now be measured accurately. The Monivent Neo100 gives continuous, real-time feedback on several ventilation parameters, including tidal volume and leakage, enabling the caregiver to adjust treatment and support safe and gentle ventilation of newborns.



## Continuous feedback on display

- VTe - Expiratory tidal volume in mL/kg
- PIP - Peak Inspiratory Pressure
- PEEP - Positive End-Expiratory Pressure
- Mask leakage
- Ventilation rate



## Integrated monitor and charger

- Sensor Modules are stored in charger when not used
- Pre-assembly of Sensor Modules and Sensor Masks possible in charger
- Sensor Module battery time at least 1 hour during active use
- LED indicates charging status

# Key Features and Benefits

- Color coded guidance on VTe supports ventilation within the volume target range
- Sensor Module LED gives VTe guidance allowing the caregiver to focus on the baby
- Real-time feedback on VTe and PIP help to identify and adjust for changes in lung compliance, and identify critical clinical conditions
- Clear feedback on a selected number of parameters for easy interpretation of data
- Wireless data transfer reduces need for cables on resuscitation table
- Add-on to existing ventilation equipment with minimal impact on clinical routines
- Ready for use within seconds
- Increases caregivers' confidence in providing the best quality of care

## SPECIFICATIONS



### VTe measurement accuracy

$\pm 1$  mL or 10% of reading

### Added deadspace

< 1.5 mL (Sensor Mask and Mask Adapter)

### Flow resistance

<500 Pa at 250 mL/s

### Flow sensor

Differential pressure pneumotachograph

### Display

Touch screen (operatable with gloves)



### Integrated Sensor Module

- Wireless data transfer
- Accurate measurement of pressures and small volumes
- Colored LED corresponds to cylinder on display indicating:
  - VTe in target range - green
  - VTe below target range - red
  - VTe above target range - orange



### Sensor Masks and Mask Adapter

- Three Sensor Mask sizes 40, 52, 66 mm
- Mask Adapter enables use with other face masks or ET tube
- Compatible with bag or T-piece resuscitators with 15 mm female connector
- Single patient use

## Monivent Neo100

## Reference number

<b>Monivent Neo100 System</b>	<ul style="list-style-type: none"><li>• Monitor incl. charger</li><li>• 3 x Sensor Modules</li><li>• Sensor Mask Starter Kit</li></ul>	N100-SY
<b>Sensor Mask Starter Kit</b>	<ul style="list-style-type: none"><li>• 2 x Sensor Mask 40</li><li>• 2 x Sensor Mask 52</li><li>• 2 x Sensor Mask 66</li><li>• 3 x Mask Adapter</li></ul>	N100-MA-SK
<b>Sensor Mask 40</b>	x 10 pcs	N100-MA40-10
<b>Sensor Mask 52</b>	x 10 pcs	N100-MA52-10
<b>Sensor Mask 66</b>	x 6 pcs	N100-MA66-06
<b>Mask Adapter</b>	x 10 pcs	N100-AD-10
<b>Sensor Module</b>	x 1	N100-SM-01
<b>Sensor Module</b>	x 3	N100-SM-03

## A unique solution to an important problem

### Manufacturer

**Monivent AB**  
Regnbågsgatan 8B  
417 55 Göteborg, Sweden

Tel: +46 31 395 48 40, E-post: [info@monivent.se](mailto:info@monivent.se)

[monivent.se](http://monivent.se)



Autorizované zastoupení pro ČR:

**DARTiN**

**DARTIN, spol. s r.o.**  
Suchdolská 688, 252 62 Horoměřice  
Tel./fax: 241 470 361, 261 216 076  
[www.dartin.cz](http://www.dartin.cz)  
e-mail: [info@artin.cz](mailto:info@artin.cz)